

Ref: CIL: KKD: EHS: 03:06:24

Date: 02.12.2024

To

The Regional Officer
Integrated Regional Office (IRO),
Ministry of Environment, Forest & Climate Change (MoEF&CC),
Green House Complex,
Gopalareddy Road,
Vijayawada- 520010
Andhra Pradesh

Dear Sir,

Subject: Submission of compliance report of the recommendations of the Coastal Zone Management Authority, Andhra Pradesh – Reg.

Reference: CRZMA Meeting held dated 21.09.2013

With reference to the above subject, we are here with submitting compliance report of the recommendations of the Coastal Zone Management Authority of CRZ Clearance dated 27th Aug, 2014 for laying of additional phosphoric acid pipeline from jetty (Kakinada Seaport) to its Plant at Kakinada, Andhra Pradesh.

This is for your kind information and necessary records.

Enclosure: The compliance report of the recommendations.

Thanking You,

Yours faithfully,

FOR COROMANDEL INTERNATIONAL LTD, KAKINADA.


Ch Srinivasa Rao

Senior Associate Vice President & Head Manufacturing



COROMANDEL INTERNATIONAL LIMITED, KAKINADA

COMPLIANCE REPORT OF THE RECOMMENDATIONS OF THE COASTAL ZONE MANAGEMENT AUTHORITY

Ref: CRZMA Meeting held dated 21.09.2013

S No	Condition	Compliance
1	The proposed pipeline shall conform to the norms prescribed in CRZ Notification issued by the Ministry of Environment and Forests, Government of India S. C. No.19(E), dated 06-01-2011.	Complying the prescribed norms.
2	No activity on ground shall be undertaken without obtaining Environmental Clearance from the Ministry of Environment and Forests, Government of India as per S. O. No.19(E), dated 06-01-2011.	Obtained CRZ clearance vide letter no F. No 11-62/2013-IA .III dated 27 th Aug, 2014 prior to undertaking of the job.
3	The industry shall follow the new standards as Pollution proposed by the Central Control Board (CPCB) under the Environment (Protection) Act, 1986.	Being followed the provisions of the Environment Protection Act Act 1986.
4	The industry shall undertake afforestation of lands along the coast using suitable local species to serve as shelter belt and wind breaks to ensure protection of interior areas.	Undertaken afforestation with available local species.
5	The proposed pipeline shall be aligned in the existing corridor earmarked for laying the pipelines from the Deep water Port, Kakinada.	Complied. The pipeline aligned in the corridor earmarked for laying the pipelines from the deep water port of Kakinada.
6	Phosphoric acid being hazardous chemical, there shall not be any Compromise on safety to vegetation and human beings. Adequate safety measures should be taken to avoid leakage.	Adequate safety measures are being taken.
7	The industry shall submit the detailed drawings of pipeline alignment along with location map to the scale, duly marking the path of the proposed pipeline in the CRZ map. Necessary details pertaining to excavation through various zones and other relevant information shall also be furnished for the purpose of record.	The detailed drawing and other information of the pipeline alignment submitted to the concerned authority.
8	All safety measures shall be incorporated to avoid any possible accidents. Adequate safety measures shall be taken to prevent leakage of waste water into surrounding areas.	Developed suitable safety measures and integrated with existing Onsite Emergency Plan and the same is being followed.