

Dt :31.05.2025

To,

**The Regional Officer
Integrated Regional Office(|RO), Vijayawada
Ministry of Environment, Forest and Climate Change (MoEF &CC)
Green house complex, Gopalareddy Road, Vijayawada-520010
Andhra Pradesh.**

Dear Sir,

Subject -Six monthly CZMA Compliance Report-reg
Reference- Letter No: 6518/ENV/CZMA/2013 dated 30/10/2013.

With reference to the above subject, we are herewith enclosing six monthly compliance status to the conditions specified in above reference for the period mentioned below:

Period of Submission: Oct 2024 to March 2025.
Unit: Coromandel International Limited, Kakinada.

This is for your kind information and necessary records.

Thanking You

**Yours Faithfully
For Coromandel International Limited**



**Ch Srinivasa Rao
Vice President and Head Manufacturing**



Enclosure- CZMA compliance status Oct 2024 to March 2025.

COROMANDEL INTERNATIONAL LIMITED, KAKINADA

COMPLIANCE REPORT OF THE RECOMMENDATIONS OF THE COASTAL ZONE MANAGEMENT AUTHORITY

Ref: CRZMA Meeting held dated 21.09.2013

S No	Condition	Compliance
1	The proposed pipeline shall conform to the norms prescribed in CRZ Notification issued by the Ministry of Environment and Forests, Government of India S. C. No.19(E), dated 06-01-2011.	Complying the prescribed norms.
2	No activity on ground shall be undertaken without obtaining Environmental Clearance from the Ministry of Environment and Forests, Government of India as per S. O. No.19(E), dated 06-01-2011.	Obtained CRZ clearance vide letter no F. No 11-62/2013-IA .III dated 27 th Aug, 2014 prior to undertaking of the job.
3	The industry shall follow the new standards as Pollution proposed by the Central Control Board (CPCB) under the Environment (Protection) Act, 1986.	Being followed.
4	The industry shall undertake afforestation of lands along the coast using suitable local species to serve as shelter belt and wind breaks to ensure protection of interior areas.	Undertaken afforestation with available local species.
5	The proposed pipeline shall be aligned in the existing corridor earmarked for laying the pipelines from the Deep water Port, Kakinada.	Complied.
6	Phosphoric acid being hazardous chemical, there shall not be any Compromise on safety to vegetation and human beings. Adequate safety measures should be taken to avoid leakage.	Adequate safety measures are being taken.
7	The industry shall submit the detailed drawings of pipeline alignment along with location map to the scale, duly marking the path of the proposed pipeline in the CRZ map. Necessary details pertaining to excavation through various zones and other relevant information shall also be furnished for the purpose of record.	Submitted to the concerned authority.
8	All safety measures shall be incorporated to avoid any possible accidents. Adequate safety measures shall be taken to prevent leakage of waste water into surrounding areas.	Developed suitable safety measures and integrated with existing Onsite Emergency Plan and the same is being followed.
9	Sign boards indicating the pipeline crossing of the Port road shall be displayed to avoid possible accidents.	Installed sign boards at strategic locations along the pipeline including crossing of the Port road.