



ANDHRA PRADESH POLLUTION CONTROL BOARD
 Paryavaran Bhavan, APIIC Colony Road, Gurunanak
 Colony,
 Autonagar, Vijayawada- 520007.
 Website: www.pcb.ap.gov.in



CONSENT TO ESTABLISH ORDER

Order No.65/APPCB/CTE/RO-KKD/HO/2025 **Dt. 14-12-2025**

Sub:APPCB – CTE - **M/s.Coromandel International Limited**, D.No.3-15/1, Beach Road, Vakalapudi Village, Kakinada Rural, Kakinada District - Consent to Establishment (CTE) of the Board for CTE (Expansion) under Sec.25 of the Water (P&C of P) Act, 1974 and Under Sec.21 of the Air (P & C of P) Act, 1981 – **Order issued** - Reg.

- Ref:
1. EC order dt. 25.04.2024 issued by MoEF&CC, Gol.
 2. CTE order dt.08.05.2024 for the Nano DAP/Nano Urea.
 3. CTO Order dt. 05.06.2024 valid up to 30.09.2026 for Nano DAP/ urea plant.
 4. CTE (Exp) order dt.09.07.2024.
 5. CTE order dt.26.08.2025.
 6. EC order dt. 10.08.2025 issued by MoEF&CC, Gol.
 7. Industry's CTE (Exp) application received through A.P. OCMMS on 13.10.2025.
 8. JCEE, ZO: VSP report dt.04.11.2025.
 9. CTE Committee meeting held on 12.11.2025.
 10. T.O. Ir.dt.23.11.2025.
 11. Industry's Ir.dt.26.11.2025.

@@@

1) **M/s.Coromandel International Limited**, vide reference 7th cited, has submitted an application to the Board for Expansion for Enhancement for NP/NPK Fertilizer /DAP production by an **additional 2.5 lakh TPA**, thereby increasing the total production capacity upto 32.5 lakh TPA including A, B, C Trains (i.e., from existing **22.5 Lakh MTPA to 25 Lakh MTPA**) in the existing Fertilizer Complex, with an additional investment of Rs.10.3 Cr. (Total after expansion Rs.1323.0116 Cr.)

2) The industry obtained EC vide order dt.10.08.2025 issued by MoEF&CC, Gol.

3) The Board issued CTO&HW Authorization vide order dt.05.06.2024 valid up to 30.09.2026 & 29.08.2024 valid upto 30.09.2026.

4) The ZO, Visakhapatnam has submitted report on 04.11.2025, vide reference 8th cited.

5) The item was placed before the CTE committee meeting held on 12.11.2025 and Board office vide letter dt.23.11.2025 was communicated to industry to submit the EC amendment to use 7.0 TPH boiler with separate stack instead of standby. Accordingly, the industry submitted information vide letter dt.26.11.2025 stating that:

- Proposed additional stack for standby boiler to keep both boilers in operation (for few hours) to meet the steam demand during startup of our proposed Sulfuric acid plant. Based on the optimum utilisation of steam in other plants, we envisage current requirement will be fulfilled. Hence, **we drop the proposal** of additional stack for standby boiler and stay with the existing mode of operation.

6) The issue was placed in the CTE Committee meeting held on 12.11.2025. The Board, after careful scrutiny of the application, verification report of Zonal Officer, submission of industry and recommendations of the CTE Committee, hereby issues CTE (**Expansion**) to the industry, under Section 25 of the Water (Prevention and Control of Pollution) Act, 1974 and under Section 21 of the Air (Prevention and Control of Pollution) Act, 1981 and the rules made there under for the following.

- Production enhancement in A B C Trains put together by process improvement and De bottle necking for NP/NPK Fertilizer /DAP production by an **additional 2.5 lakh TPA**. (i.e., from existing **22.5 Lakh MTPA to 25 Lakh MTPA**) in the existing Fertilizer Complex.
- Downsizing of proposed ETP capacity from 1800 to 345 m³/day (as per EC order dt.10.08.2025).

7) This CTE (Expansion) order is issued with the following conditions:

- The industry shall comply with EC orders dt.25.04.2024 & 10.08.2025.
- The industry shall comply with the letter dt: 26.11.2025 submitted to the Board.

8) All other conditions mentioned in the CTE order dt.09.07.2024 shall remain the same.

9) All other conditions mentioned in the CTO order dt.05.06.2024 & 29.08.2024 shall remain the same.

S SRISARAVANAN, I.F.S
Member Secretary

To
M/s. Coromandel International Limited,
Beach Road, Vakalapudi Village,
Kakinada Rural, Kakinada District
Email: srinivasaraoch@coromandel.murugappa.com

Copy to:

1. The JCEE, Z.O: Visakhapatnam for information and necessary action.
2. The EE, R.O: Kakinada for information and necessary action.